References

1. A. Gangadharan, T. N. Shanmugam, and H. M. Srivastava, Generalized hypergeometiric functions associated with k-uniformly convex functions, Comput. Math. Appl. 44 (2002), 1515−1526.
2. B.A. Frasin Partial sums of certain analytic and univalent functions , Acta Mathematica Academiae Paedagogicae Ny´ıregyh´aziensis 21 (2005), 135–145
3. Convey, J.B. Functions of One Complex Variable I., Graduate Texts in Mathematics series.
4. Dong Guo and Ming-Sheng Liu, On a certain subclass of Bazilevic functions, Journal of Inequalities in Pure and Applied Mathematics, Vol. 8 Issue 1, Article 12 (2007), 11 pp.123-141.
5. Dziok, J. and Srivastava, H. M., Classes of anlytic functions associated with the generalized hypergeometric function, Appl. Math. Comput., 103(1) (1999), pp. 1-13.
6. F. Rønning. On starlike functions associated with parabolic regions. Ann. Univ. Mariae Curie-SkÃlodowska Sect. A, 45:117–122 (1992), 1991.
7. Ghanim, F. and Darus, M., On new subclass of analytic p-valent function with negative coefficient for operator on Hilbert space, International Mathematical Forum, 3 (2008) No. 2, pp. 69-77.
8. Goodman, A. W., On uniformly convex functions, Ann. Polon. Math., 56 (1991), pp. 87-92.
9. H. K. Xu, Diametrically contractive mappings, Bulletin of the Australian Mathematical Society, 70 (2004), No. 3, 463-468.
10. H. M. Srivastava, S. M. Khairnar & M.More, Inclusion properties of a subclass of analytic functions defined by an integral operator involving the Gauss hypergeometric function, Elsevier, Applied Mathematics and Computation 218 (2011) 3810–3821.

11. H.M. Srivastava, and S.Owa, Current topics in analytic function theory, World Scientific Publishing company, Singapore, (1992).
12. Huseyin Irmak and R.K.Raina, Some applications of generalized fractional calculus operators to a novel class of analytic functions with negative coefficients, Taiwanese Journal of Mathematics, Vol.8, No.3,(2004), 443-452.
13. J. Dziok, and H. M. Srivastava, Certain subclasses of analytic functions associated with the generalized hypergeometric function, Integral Trans. Spec. Funct. 14 (2003), 7 −18.
14. J. L. Liu, and H. M. Srivastava, Classes of meromorphically multivalent functions associated with the generalized hypergeometric function, Math. Comput. Modelling 39 (2004), 21-34.
15. J. M. Jahangiri. Harmonic functions starlike in the unit disk. J. Math. Anal. Appl.,235(2):470–477, 1999.
16. Jahangiri, J.M. and Silverman, H, Univalent functions with varying arguments, I.J. Appl. Math., 8, No. 9.(2002), 267-275.
17. Janteng Aini and Darus Maslina, Classes with negative coefficients and starlike with respect to other points, International Mathematical Forum, 2, (2007) No.46, 2261-2268.
18. Jung, I. B., Kim, Y. C. and Srivastava, H. M., The hardly space of analytic functions associated with certain one-parameter families of integral transform, J. Math. Anal. Appl., 179 (1993), pp. 138-147.
19. K. Al Shaqsi and M. Darus , “On subclass of close to convex functions International Journal of Contemp. Math. Sci., Vol.2, (2007), No. 15, 745-757
20. Khairnar S.M. and Kulkarni S.R., A class of univalent functions with negative coefficients, Proc. Of Math. Soc., B.H.U, Vol.17 (2001)
21. L. Banjai and L. N. Trefethen, Numerical solution of the Omitted area problem of univalent function theory, Vol.1 (2001), 259-273.
22. M. Darus, Some subclass of analytic functions, Journal of Math. and Comp. Sci. (Math Ser), 16(2003), No.3, 121-126.

23. Mogra, M.L. On a special class of p-valent analytic functions, Bull. Inst, Math. Soc., 96, (2), (2004), 99-108.
24. Murugusundaramoorthy, G. and Magesh, N., An application of second order differential inequalities based on linear and integral operators, International J. of Math. Sci. and Engg. Appls., 2(1) (2008), pp. 105-114.
25. Murugusundaramoorthy, G., Rosy, T. and Darus, M., A subclass of uniformly convex functions associated with certain fractional calculus operators, J. Inequal. Pure and Appl. Math. 6(3), Art. 86 (2005), pp. 1-10.
26. O. Altintcus. A subclass of analytic functions with negative coefficients. Hacettepe Bull. Natur Sci. Engrg., 19:15–24, 1990.
27. Ozlem H., Guney, S. S. Eker and Shigeyoshi Owa, Fractional calculus and some properties of k-uniform convex functions with negative coefficients, Taiwanese Journal of Mathematics, 10(6) (2006), 1671- 1683.
28. R. Aghalary and S. Kulkarni. Some theorems on univalent functions. J. Indian Acad. Math., 24(1):81–93, 2002.
29. Ramachandran C., Sivasubramanian and Darus M., Subordination and meromorphic functions, International Mathematical Forum, 2, (2007), No.46, 2277-2281.
30. Rønning, F., Uniformly convex functions and a corresponding class of starlike functions, Proc. Amer. Math. Soc., 118 (1993), pp. 189-196.
31. Rosy, T. Stephen, B.A., Subramanian, K.G., Jahangiri, J.M., Goodman-Ronning-type harmonic univalent functions, Kyungpook Math. J. 41, (2001), 45-54.
32. S.K. Lee , S.M.Khairnar and Meena More , Some application and properties of generalized fractional calculus operators to a subclass of analytic and multivalent function . Korean J. Maths ,17 (2009) No.2 pp.127-145
33. S. M. Khairnar and Meena More , Convolution properties of univalent functions with missing second coefficient of alternating type, International.J.of Maths. Sci.and Engg. Appls.Vol. I, No.1, pp 101-113, (2007).

34. S. M. Khairnar and Meena More , Subclass of analytic and univalent functions in the unit disk Scientia Magna, Northwest University, China, Vol. 3 (2007), No. 2, pp 1-8
35. S. M. Khairnar and Meena More, A subclass of uniformly convex functions associated with certain fractional calculus operator', IAENG International Journal of Applied Mathematics, 39(3) (2009): 184-191.
36. S. M. Khairnar and Meena More, Certain family of analytic and univalent functions with normalized conditions', Acta Mathematica Academiae Paedagogicae Nyiregyh_aziensis, 24 (2008): 333-344 .
37. S. M. Khairnar and Meena More, On a class of meromorphic multivalent functions with negative coefficients defined by Ruscheweyh derivative', International Mathematical Forum, 3(22), (2008): 1087-1097.
38. S. M. Khairnar and Meena More, On certain subclass of analytic functions involving Al-Oboudi differential operator', Journal of Inequalities in Pure and Applied Mathematics, 10(1), Art. Id. 57, (2009): 11pp.
39. S. M. Khairnar and Meena More, Properties of a subclass of meromorphic univalent functions with positive coefficients, International J. of Math. Sci. and Engg. Appls., 1(2007),No.1, 101-113.
40. S. M. Khairnar and Meena More, Properties of certain classes of analytic functions de_ned by Srivastava-Attiya operator', Demonstratio Mathematica, XLIII(1) (2010): 55-79.
41. S. M. Khairnar and Meena More, Some applications and properties of generalized fractional calculus operators to a subclass of analytic and multivalent functions', Korean Journal of Mathematics, 17(2) (2009): 127-145.
42. S. M. Khairnar and Meena More, Subclass of analytic and univalent functions in the unit disk, Scientia Magna, 3 (2007), No.2, 1-8.
43. S. M. Khairnar and Meena More, Subclass of univalent functions with negative coefficients and starlike with respect to symmetric and conjugate points , applied mathematical Sciences , Vol.2 2008 , no.35 , 1739-1748

44. S. M. Khairnar and Meena More , Properties of class of analytic and univalent functions using Ruscheweyh derivative , Int.J. Contemp.Math.Sciences, Vol.3,2008,no.20, 967-976
45. S. M. Khairnar and Meena More , Certain class of harmonic starlike functions with some missing coefficients,Acta Mathematica Academic paedagogicae Nyiregyhaziensis 24 (2008),323-332
46. S. M. Khairnar and Meena More , A class of analytic function defined by Hurwitz-Lerch zeta function , International journal of mathematics and computation , vol. 1,No8 (2008), 106-123
47. S. M. Khairnar , S.M. Rajas and Meena More, On class of q-valent meromorphic functions with positive coefficients, Scientia Magna , Vol.4 (2008) No.1 , 92-101
48. Shams,S. and Kulkarni S.R., Certain properties of the class of univalent functions defined by Ruscheweyh derivative, Bull.Cal. Math. Soc., 97, No. 3, (2005), 223-234.
49. S. R. Kulkarni and S. M. Khairnar, On a class of meromorphic functions with positive coe±cients, Acta Ciencia Indica, XXVIII(2002), No.4, 587-598.
50. Shams,S., Kulkarni S.R., and Jahangiri, J.M., On a class of univalent functions defined by Ruscheweyh derivatves, K. Math. J. 43, No. 4, (2003), 597-585.
51. Duren, P.L. Univalent functions Groundlehrendor Mathematischen Wissenschhaften 259, Springer Verlag 1983.
52. Convey, J.B. Functions of One Complex Variable I., Graduate Texts in Mathematics series.
53. Goodman. A.W. Univalent functions, Vols. I and II, Polygonal Publishing House, Washington, New Jersey, 1983.
54. Hayman, W.K. F.R.S., Meromorphic functions, Oxford University Press, Oxford. (1964).

55. Srivastava, H.M. and Owa, S., Current topics in analytic function theory, World Scientific Publishing Company Singapore, New Jersey etc. (1992).
56. L. V. Ahlfors, Complex Analysis: An introduction to theory of analytic functions of complex variable, Cambridge Press, New York, 1997.

Mr. N. O. Yeole
Research student

Dr. S. M. Khairnar
Research Guide